



SEQUENCE LISTING

<110> AJINOMOTO CO., INC.

<120> Stem cell and separating method thereof

<130> 09474

<150> JP 2001-126315

<151> 2001-04-24

<160> 40

<170> PatentIn version 3.1

<210> 1

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of preproglucagon (alpha cell specific marker) gene

<400> 1

atttactttg tggctggatt g

21

<210> 2

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of preproglucagon (alpha cell specific marker) gene

<400> 2

tgtcagtgat cttggtttga a

21

<210> 3

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of preproinsulin I (beta cell specific marker) gene

<400> 3

ctgttggtgc acttcctacc

20

<210> 4

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of preproinsulin I (beta cell specific marker) gene

<400> 4

gcagtagttc tccagctggt

20

<210> 5

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of preproinsulin II (beta cell specific marker) gene

<400> 5

tcaagcagca cctttgtggt t

21

<210> 6

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of preproinsulin II (beta cell specific marker) gene

<400> 6

gttgtagtag ttctccagct g

21

<210> 7

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of pancreatic polypeptide (gamma cell specific marker) gene

<400> 7

ctccctgttt ctcgtatcca

20

<210> 8

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of pancreatic polypeptide (gamma cell specific marker) gene

<400> 8

agagcaggga atcaagccaa

20

<210> 9

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of preprosomatostatin (delta cell specific marker) gene

<400> 9

ctctgcatcg tcctggctt

19

<210> 10

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of preprosomatostatin (delta cell specific marker) gene

<400> 10

caggatgtga atgtcttcca g

21

<210> 11

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of amylase 2 (exocrine cell specific marker) gene

<400> 11

agtacctgtg gaagttacct

20

<210> 12

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of amylase 2 (exocrine cell specific marker) gene

<400> 12

acacaagggc tctgtcagaa

20

<210> 13

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of hormone-sensitive lipase (exocrine cell specific marker) gene

<400> 13

tcttcttcga gggatgatgaa

20

<210> 14

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of hormone-sensitive lipase (exocrine cell specific marker) gene

<400> 14

taccttgctg tcctgtcctt

20

<210> 15

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of ipf1/pdx1 gene

<400> 15

ttacaagctc gctgggatca c

21

<210> 16

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of ipfl/
pdx1 gene

<400> 16

aggtcaccgc acaatcttgc t

21

<210> 17

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of c-met
gene

<400> 17

agccagtaat gatctcaatg

20

<210> 18

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of c-met gene

<400> 18

tcaggatagg ggacaggt

18

<210> 19

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of hypoxanthine phosphoribosyltransferase (HPRT, positive control) gene

<400> 19

ctgtaatgat cagtcaacgg c

21

<210> 20

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of hypoxanthine phosphoribosyltransferase (HPRT, positive control) gene

<400> 20

ggcctatagg ctcatagtg c a

21

<210> 21

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of albumin (hepatocyte/biliary cell marker) gene

<400> 21

catgacacca tgcctgctga t

21

<210> 22

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of albumin (hepatocyte/biliary cell marker) gene

<400> 22

ctctgatctt caggaagtgt ac

22

<210> 23

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of alpha-fetoprotein (hepatocyte/biliary cell marker) gene

<400> 23

actcacccca accttcctgt c

21

<210> 24

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of alpha
-fetoprotein (hepatocyte/biliary cell marker) gene

<400> 24

cagcagtggc tgataccaga g

21

<210> 25

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of gluco
se-6-phosphatase (hepatocyte/biliary cell marker) gene

<400> 25

aacccattgt gaggccagag g

21

<210> 26

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of gluco

se-6-phosphatase (hepatocyte/biliary cell marker) gene

<400> 26

tactcattac actagttggt c

21

<210> 27

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of trans
thyretin (hepatocyte/biliary cell marker) gene

<400> 27

tggtatttgt gtctgaagct g

21

<210> 28

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of trans
thyretin (hepatocyte/biliary cell marker) gene

<400> 28

ttaataagaa tgcttcacgg c

21

<210> 29

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of cytok
eratin 19 (hepatocyte/biliary cell marker) gene

<400> 29

gtcctacaga ttgacaatgc

20

<210> 30

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of cytok
eratin 19 (hepatocyte/biliary cell marker) gene

<400> 30

cacgctctgg atctgtgaca g

21

<210> 31

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of cytok
eratin 18 (hepatocyte/biliary cell marker) gene

<400> 31

ggacctcagc aagatcatgg c

21

<210> 32

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of cytok
eratin 18 (hepatocyte/biliary cell marker) gene

<400> 32

ccacgatctt acgggtagtt g

21

<210> 33

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of cytok
eratin 8 (hepatocyte/biliary cell marker) gene

<400> 33

agtctcagat ctcagacacg

20

<210> 34

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of cytok
eratin 8 (hepatocyte/biliary cell marker) gene

<400> 34

ccataggatg aactcagtc

20

<210> 35

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of biliary glycoprotein (hepatocyte/biliary cell marker) gene

<400> 35

gaactagact ctgtcacct g

21

<210> 36

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of biliary glycoprotein (hepatocyte/biliary cell marker) gene

<400> 36

gccagacttc ctggaataga

20

<210> 37

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of intestinal fatty acid binding protein (fabp-2; gastric cell/enterocyte marker) gene

<400> 37

attcgacggc acgtggaaag t

21

<210> 38

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of intestinal fatty acid binding protein (fabp-2; gastric cell/enterocyte marker) gene

<400> 38

aagaatcgct tggcctcaac t

21

<210> 39

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of pepsinogen F (gastric cell/enterocyte marker) gene

<400> 39

acctagacct ggtctacatt g

21

<210> 40

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Oligonucleotide designed to act as PCR primer for detection of pepsinogen F (gastric cell/enterocyte marker) gene

<400> 40

agtgaagctc tccatggtag t

21